




2017

Intermodal Parts Guide




Table of Contents

Body Parts	5-8	Suspensions	41-47
Front Wall	5	Hanger	41-42
Corner Caps	5	Components	42-46
Top Nose Rails	5	Leaf Springs	47
Front Bolster	5	U-Bolts	47
Mounting Panel	5		
Side Wall	5-6	Landing Gear	48-51
Bottom Rails	5	Legs & Sets	48-49
Lift Pads	5	Components	49-51
Top Rails	6		
Side Posts	6		
Floor	6	Couplers & Hitchers	52
Rear Wall	7-8		
Bumper	8		
Rear Sills	8		
Composite Doors	8		
		Safety & Accessories	53-63
Lighting & Reflectors	9-21	Conspicuity Tape	53
Lighting	9-17	Dock Bumpers	53
Single Diode	9	Twist Locks	54-60
2 in. Round	9-12	Document Holder	61
2-1/2 in. Round	12-14	Mudflaps	61-63
4 in. Round	14-15		
Rectangle/Oval	16		
Utility	16-17		
Reflectors	18		
Components	18-19		
Pigtails	20-21		
Axles	22-28		
Axles	22		
Spindle Nuts	22		
Brake Chambers	23		
Brakes	23-24		
Brake Camshafts	25-27		
Slack Adjusters	27-28		
Air Systems	29-31		
Air Reservoir	29		
Air Hoses	29-31		
Wheel End	32-40		
Bearings	32		
Seals	32-34		
Hub & Drums	35-36		
Hubcaps	36-37		
Wheels	38-39		
Hubodometers	40		

Body Parts

Front Wall & Side Wall

Corner Caps

Container


Location	
Roadside	WAB04001019
Curbside	WAB04001020



Material: Galvanized Steel
Height: 7-5/8 in.

Top Nose Rails

Duraplate Container WAB04000888



Material: Aluminum
Length: 99-13/16 in.

Body Parts

Front Bolster

Hyundai Style

Part Number
HYU20005008
HYU20029456


Mounting Panel

Part Number	Thickness	Width	Length
PNL-HY06	4-3/4 in.	201 in.	907 in.

Bottom Rails

Container Rear Baserail Z

Part Number	Location
WAB16S00444	Curbside
WAB16S00443	Roadside



Material: Steel
Length: 70 in.

Bottom Rails


Container Rear WAB07600338



Material: Galvanized Steel
Length: 60 in.

Lift Pads

Container WABE9464680




Material: Aluminum
Length: 468 in.

Body Parts

Side Wall & Floor


Top Rails

Container Top Protector WAB07600344



Material: Galvanized Steel
Length: 120 in.
Holes: 10 (3/4 in.) & 11 (1/4 in.)

Container Top Protector WAB07600359



Material: Galvanized Steel
Length: 120 in.
Holes: 11 (1/4 in.)

Top Rails


Container

Length
84 in.

WABE7600840

468 in.


WABE7604680



Material: Aluminum

Side Posts

Container WABAM000010



Material: Galvanized Steel Type: Starter

Flooring

Aluminum

WABE7634200

Length
35.00 ft.




Container Floor Board

Plywood

WDS4-7

Length
8 ft.




Routed Edge

Bumper

Hyundai Style


Part Number	Cross Ref:	Type	Length	Material
BMP-HY02	20044010	Bolt-On Bumper Assembly, ICC Complete	94 in.	Steel
BMP-HY05	20006721	Bumper Assembly, ICC		
BMP-HY06	20068070	Bolt-On Bumper Assembly	94 in.	Steel, Gray Primer
BMP-HY84	20051852	Bumper Assembly, ICC		



Step Guard

Hyundai Style


Part Number	Cross Ref:	Additional
STP-HY01	20029598	ICC Bumper Channel
HYU20037893	20037893	Bumper Tube Only Size (4-3/4 in. x 286 in. x 238-3/4 in.)



Fantail Components

Threshold End Support

WAB16S00475



Material: Steel
Length: 83-1/2

Body Parts

Rear Wall

Rear Sills

Hyundai Style

Part Number	Cross Ref:
FAN-HY14	20007173
FAN-HY24	20019807

Part Number	Cross Ref:
FAN-HY44	20027211
FAN-HY48	20032774

Composite Doors

1/2 in. DuraPlate® - Seal Included (Less Lockrods & Hinges)

	Location	Width	Height	Finish
WAB06100439	Roadside	99-7/8 in.	109-3/8 in.	Schneider Orange
WAB06100438	Curbside	99-7/8 in.	109-3/8 in.	Schneider Orange

Container Bolt Kit Door K-Frame Rail BLTKIT1207



Item	Count	Grade	Diameter	Thread	Length
Bolts	22	5	3/8 in.	16	1 in.
Washers	22		25/64 in.		21/32 in.
Hex Nuts	22		3/8 in.	16	

Single Diode

MCL11S Series 3/4 in. Round LED

Accessories

Lock Ring
OPTA11SRB

Type	Color	
Lamp	Red	OPTMCL11SRB
Lamp	Amber	OPTMCL11SAB
Lock Ring Kit	Red	OPTMCL11SRKB
Lock Ring Kit	Amber	OPTMCL11SAKB



(OPTMCL11SRB)



(OPTMCL11SAB)



(OPTMCL11SRKB)



(OPTMCL11SAKB)

Single Diode

MCL11 Series Uni-Lite 3/4 in. Round LED

Type	Color	
Lamp	Red	OPTMCL11RPG
Lamp	Yellow	OPTMCL11APG



(OPTMCL11RPG) (OPTMCL11APG)

Accessories

Grommet
OPTA11GB

2 in. Round

2.00 in. Round

Additional	Type	Color	
Gray Flange	Flange-Kit	Red	LHTSRF2000R
Gray Flange	Flange-Kit	Amber	LHTSRF2000A



(LHTSRF2000R)



(LHTSRF2000A)

Accessories

Pigtail
LHTPT6020

2 in. Round

2.00 in. Round

Accessories

Pigtail
LHTPT6020
Grommet
LHTGR2000

Additional	Type	Color	
	Lamp	Red	LHTSI2000R
	Lamp	Amber	LHTSI2000A
Black Flange	Flange-Kit	Amber ABS	LHTSI2000ABS



(LHTSI2000R)



(LHTSI2000A)

Lighting & Reflectors

Lighting

2 in. Round

2.00 in. Round LED


Additional	Type	Color	
Red Flange	Flange-Kit	Red	LHTLEDRF2000-1RC
Amber Flange	Flange-Kit	Amber	LHTLEDRF2000-1AC



(LHTLEDRF2000-1RC) (LHTLEDRF2000-1AC)

MC52 Series 2.00 in. Round

Additional	Type	Color	
Orange Flange	Flange-Kit	Red	OPTMC52ROB
Orange Flange	Flange-Kit	Yellow	OPTMC52AOB



(OPTMC52ROB) (OPTMC52AOB)

Accessories

Pigtail
OPTA46PB

MC52 Series

2.00 in. Round LED

	Color	Type
OPTMCL52RB	Red	Flange-Kit
OPTMCL52AB	Amber	Flange-Kit
OPTMCL52RMB	Red	Flange-Kit
OPTMCL52AMB	Amber	Flange-Kit



(OPTMCL52RB/ OPTMCL52RMB)



(OPTMCL52AB/ OPTMCL52AMB)

Accessories

Pigtail
OPTA46PB

MCL56 Series

2.00 in. Round LED

	Color	Type	Additional
OPTMCL56RFB	Red	Flange-Kit	Black Flange
OPTMCL56AFB	Yellow	Flange-Kit	Black Flange
OPTMCL505ABSB	Yellow ABS	Flange-Kit	Black Flange



(OPTMCL56RFB)



(OPTMCL56AFB)



(OPTMCL505ABSB)

Accessories

Pigtail
OPTA46PB

2 in. Round

MC54 Series

2.00 in. Round LED

Accessories

Pigtail
OPTA46PB

Type	Color	
Flange-Kit	Red	OPTMC54RB
Flange-Kit	Yellow	OPTMC54AB
Flange-Kit	Yellow ABS	OPTMC505ABSB



(OPTMC54RB)



(OPTMC54AB)



(OPTMC505ABSB)

190

2.00 in. Round LED

Accessories

Pigtail
PETB162-49
PETB192-492
Retaining Clip
PETB162-093

Type	Color	
Lamp w/ Reflex & Flange	Red	PETM190FR
Lamp w/ Reflex & Flange	Amber	PETM190FA
Lamp w/ Hard-Shell Connector	Red	PETM190FR-AMP
Lamp w/Hard-Shell Connector	Amber	PETM190FA-AMP



(PETM190FR/PETM190FR-AMP)



(PETM190FA/PETM190FA-AMP)

Model 30 Sealed 2.00 in. Round

Type	Color	
Lamp	Red	TRU30200R
Lamp	Yellow	TRU30200Y



(TRU30200R)



(TRU30200Y)

Accessories

Pigtail
TRU94902

Model 30 Flange Sealed 2.00 in. Round

Mounting	Color	
Flush	Red	TRU30221R
Flush	Yellow	TRU30221Y



(TRU30221R)



(TRU30221Y)

Accessories

Pigtail
TRU94902

Lighting & Reflectors

Lighting

2 in. Round

Model 30 Sealed 2.01 in. Round LED

Type	Color	
Flange-Kit	Yellow	TRU30251Y
Flange-Kit	Yellow ABS	TRU30271Y



Accessories

Grommet
TRU30700
Pigtail
TRU93745

Model 30 Low Profile Sealed 2.01 in. Round LED

Type	Color	
Flange-Kit	Yellow	TRU30272Y



Accessories

Grommet
TRU30700
Pigtail
TRU93745

30 Series High Profile PC Rated 2.00 in. Round LED

Type	Color	
Flange-Kit	Yellow	TRU30281Y



Model 30 Low Profile PC Rated 2.25 in. Round LED

Type	Color	
Flange-Kit	Red	TRU30386R
Flange-Kit	Yellow	TRU30386Y



Accessories

Grommet
TRU30700
Pigtail
TRU93745

2-1/2 in. Round

2.50 in. Round

	Color	Type	Additional
LHTSI2500R	Red	Lamp	
LHTSI2500A	Amber	Lamp	
LHTSI2500ABS	Amber ABS	Flange-Kit	Black Flange



Accessories

Pigtail
LHTPT6020
Grommet
LHTGR2500

2-1/2 in. Round

2.50 in. Round LED

Accessories

Pigtail
LHTPT6020

Additional	Type	Color	
Red Flange	Flange-Kit	Red	LHTLEDRF2500-1RC
Amber Flange	Flange-Kit	Amber	LHTLEDRF2500-1AC



(LHTLEDRF2500-1RC)



(LHTLEDRF2500-1AC)

2.50 in. Round

Additional	Type	Color	
Gray Flange	Flange-Kit	Red	LHTSRF2500R-2
Gray Flange	Flange-Kit	Amber	LHTSRF2500A-2



(LHTSRF2500R-2)



(LHTSRF2500A-2)

MC56 Series

2.50 in. Round

Type	Color	
Flange-Kit	Red	OPTMC56RB
Flange-Kit	Yellow	OPTMC56AB



(OPTMC56RB)



(OPTMC56AB)

Accessories

Pigtail
OPTA46PB

189

2.50 in. Round LED

Accessories

Pigtail
PETB162-49
PETB192-492
Retaining Clip
PETB162-093


Type	Color	
Lamp w/ Reflex & Flange	Red	PETM189FR
Lamp w/ Reflex & Flange	Amber	PETM189FA
Lamp w/ Hard-Shell Connector	Red	PETM189FR-AMP
Lamp w/ Hard-Shell Connector	Amber	PETM189FA-AMP



(PETM189FR)



(PETM189FA)



(PETM189FR-AMP)



(PETM189FA-AMP)

Lighting & Reflectors

Lighting

2-1/2 in. Round

Model 10 High Profile 2.50 in. Round LED PC Rated

Type	Color	
Flange-Kit	Red	TRU10279R
Flange-Kit	Yellow	TRU10279Y



(TRU10279R)

(TRU10279Y)

Accessories

Grommet
TRU10700
Pigtail
TRU94964

4 in. Round

4.00 in. Round

Additional	Type	Color	
	Lamp	Red	LHTSI4000R
Gray Flange	Flange-Kit	Red	LHTSI4000R-2



(LHTSI4000R)

(LHTSI4000R-2)

Accessories

Pigtail
LHTPT9530
LHTPT9180

4 in. Round

4.00 in. Round


Type	Color	
Flange-Kit	Red	LHTLEDF4000-1R2



(LHTLEDF4000-1R2)

ST47 Series 4.00 in. Round

Additional	Type	Color	
Orange Flange	Flange-Kit	Red	OPTST47ROB



(OPTST47ROB)

Accessories

Pigtail
OPTA45PB

STL13 Series

4.00 in. Round LED

	Color	Type	Additional
OPTSTL13RFB	Red	Flange-Kit	PL-3 connection
OPTSTL13RFMB	Red	Flange-Kit	Weathertight connection
OPTSTL13RFMTB	Red	Flange-Kit	Weathertight connection, Trac Logo



(OPTSTL13RFB)



(OPTSTL13RFMB)



(OPTSTL13RFMTB)

Accessories

Pigtail
OPTA45PB
OPTAL45PWTB

4 in. Round

STL003 Series

4-5/16 in. Round LED

Accessories

Pigtail
OPTA45PB
OPTA47PB

Additional	Type	Color	
Black Flange	Flange-Kit	Red	OPTSTL003RFLB
Black Flange	Flange-Kit	Red	OPTSTL003SRFLB
Orange Flange	Flange-Kit	Red	OPTSTL003SRFOLB



(OPTSTL003RFLB)



(OPTSTL003SRFLB)



(OPTSTL003SRFOLB)

814

4.00 in. Round LED

Type	Color	
Gray Flange-Kit	Red	PETM814R



(PETM814R)

Accessories

Pigtail
PETB817-49

824

4.00 in. Round LED

Type	Color	
Gray Flange-Kit	Red	PETM824R



(PETM824R)

Accessories

Pigtail
PETB431-491

40 Series Sealed S/T/T & F/P/T

4.31 in. Round

Type	Color	
Flange-Kit	Red	TRU40222R



(TRU40222R)

Accessories

Pigtail
TRU94993

Super 44 6 Diode

4.35 in. Round LED

Type	Color	
Flange-Kit	Red	TRU44322R



(TRU44322R)

Lighting & Reflectors

Lighting

Rectangle / Oval

Bullseye Double Bulb Lamp 2.00 in. x 4.00 in. Rectangle

Type	Color	
Lamp	Red	LHTML2040R
Lamp	Amber	LHTML2040A



(LHTML2040R)



(LHTML2040A)

MC91 Series 2.50 in. Rectangle

Type	Color	
Kit	Red	OPTMC92RB
Kit	Yellow	OPTMC92AB




(OPTMC92RB)



(OPTMC92AB)

ST75 Series 6.00 in. Oval

Type	Color	
Lamp	Yellow	OTPST75AB



(OTPST75AB)

Accessories

Grommet
OPTA70GB
Pigtail
OPTA45PB
OPTA47PB

Utility

SE1225L License Lamp 3.50 in. Rectangle

Type	Color	
Gray Bracket-Kit	Clear	LHTL2001



(LHTL2001)

3.50 in. Rectangle

Type	Color	
Chrome Housing-Kit	Clear	LHTLLP1225C-2



(LHTLLP1225C-2)

Utility

LP91 Series

2.50 in. x 1.19 in. Rectangle

Type	Color	
Lamp	Clear	OPTLP91CB
Gray Bracket-Kit	Clear	OPTLP26SKB



(OPTLP91CB)

(OPTLP26SKB)

Accessories

Pigtail
OPTA46PB

294 Great White

2.00 in. Rectangle

Type	Color	
Chrome Bracket-Kit	Clear	PETM294C



(PETM294C)

Accessories

Spacer Bracket
PET294-09

15 Series License & Utility

2.48 in. x 1.20 in. Rectangle

Ends	Color	
0.180 Bullets	Clear	TRU15227



(TRU15227)

Accessories

Bracket
TRU15729

15 Series License

3.38 in. x 2.52 in. Rectangle

Includes	Color	
15208 lamp, 15729 gray bracket + 97032 mounting gasket	Clear	TRU15011



(TRU15011)

15 Series License

3.38 in. x 2.52 in. Rectangle LED

Includes	Color	
15205 LED lamp, 15729 gray bracket + 97032 mounting gasket	Clear	TRU15040



(TRU15040)

Lighting & Reflectors

Reflectors & Components

Reflectors

Center-Mount Reflector 2-3/16 in. Round

Color
Red **OPTRE35RB**
Amber **OPTRE35AB**



(OPTRE35RB)




(OPTRE35AB)

Center-Mount Reflector 2-3/8 in. Round

Color
Red **PETB477R**
Amber **PETB477A**



(PETB477R)



(PETB477A)

489 Spitfire™ 2-3/4 in. x 1-3/4 in. Rectangle

Color
Red **PETB489R**
Amber **PETB489A**



(PETB489R)



(PETB489A)

490 Spitfire™ Reflector 2-7/8 in. Round

Color
Red **PETB490R**
Amber **PETB490A**



(PETB490R)



(PETB490A)

Components

Open Back Grommet 2-7/8 in. Round

Color
Black **LHTGR2000**



Open Back Grommet 2-3/8 in. Round

Color
Black **LHTGR2500**



Components

Replacement Housing 3.50 in. Rectangle

Color
Gray **LHTL2000**



Material: Polycarbonate

Adaptor Cover Round

Fits Color
3/4 in. Lights Gray **OPTA11DB**



Covers: 2 in. or 2.5 in. holes

Standard Grommet Round

Type Color
Grommet Black **OPTA11GB**



Application: 3/4 in. lights

Locking Ring 1.50 in. Round

Color
Stainless Steel **OPTA11SRB**



Grommet 6 in. Oval

Color
Black **OPTA70GB**



Material: PVC

Mounting Bracket 3.38 in. x 2.52 in. Rectangle

Color
Gray **TRU15729**



Application: 15 Serie License Lamps

Lighting & Reflectors

Pigtails

Single Contact

Straight PL-10
OPTA46PB



Length	Termination
6 in.	Blunt Cut, #10 Ring Terminal

Single Contact Right Angle Pigtail
LHTPT6020



Length	Termination
6 in.	Blunt Cut, #10 Ring Terminal

Turtleback® II Double-Seal Lamp Pigtails
GRT66910



Length	Termination
6 in.	Slim-Line 0.180 Bullet, Chassis Ground

Double Contact

Standard PL-3
OPTA45PB



Length	Termination
6 in.	(2) Blunt Cut, #10 Ring Terminal


Weathertight PL-3
OPTAL45PWTB



Length	Termination
10 in.	Weathertight Plug


Double Contact

Right Angle Standard PL-3
OPTA47PB



Length	Termination
10 in.	(2) Blunt Cut, #10 Ring Terminal

Straight Plug
LHTPT9180



Length	Termination
9 in.	(2) Blunt Cut, #10 Ring Terminal

Right Angle Pigtail
LHTPT9530



Length	Termination
9 in.	(2) Blunt Cut, #10 Ring Terminal

S/T/T Three-Wire Plug-In Pigtails
GRT67002



Length	Termination
11 in.	Chassis Ground, Blunt-Cut Wire

Axles

Axles & Nuts

Axles

	Track	Spindle Type	Wall Thickness	Cam Length	Brake Type
PROAXL71NME67	71-1/2 in.	TN	1/2 in.	20-13/32 in.	Q+
PROAXL71NSE67	71-1/2 in.	TN	1/2 in.	17-5/16 in.	Q+
PROAXL71PSE67	71-1/2 in.	TP	1/2 in.	17-5/16 in.	Q+



Pro-Par

Axle Nuts

Temper-Loc Spindle Nuts

	Size	Bearing	Application
MTRMER614723	3-1/2 in. - 12	HM518445/HM518410	TP Trailer
MTRMER614743	2-5/8 in. - 16	HM212049/HM212011	TN Trailer



Meritor

Axle Nut Kit

	Bearing	For Axles
MTRKITSTNEW	HM218248/HM218210 Inner HM212049/HM212011 Outer	Meritor RQ, TK, TN, TQ



Meritor

PRO-TORQ Spindle Nuts

	Size	Bearing	Application
STE447-4723	3-31/64 in. - 12	HM518445/HM518410	Pro-Par, Meritor TP, Hendrickson HP
STE447-4724	3-1/2 in. - 12	HM518445/HM518410	
STE447-4743	2-5/8 in. - 16	HM212049/HM212011	Dana, Eaton, Meritor RL, RQ, TK, TN, TQ, Hendrickson HN



Stemco

Keeper

STE450-4723
STE450-4723
STE450-4743

Spring Brake Chambers

Type 30/30

	Stroke	Push Rod Length	Notes
RNGBTS-3030X	2-1/2 in.	12-1/2 in.	Intraax
PROBC-3030	2-1/2 in.	13 in.	
RNGCTS-3030	2-1/2 in.	13 in.	
HOL50866002	2-1/2 in.		
PROBC-3030LS	3 in.	13 in.	Long stroke
RNGCTS3030LS	3 in.	13 in.	Long stroke
TSE3030TN3-C	3 in.		Long stroke



(PROBC-3030LS)

Spring Brake Chambers

30/30 Piggyback Units RNGBPS-3030



Stroke: 2-1/2 in.

Brake Hardware

Brake Hardware Kit PROWB050



Size: 16.53 in.
Fit: Chassis

Brakes Shoes



FMSI# 4515Q - 16-1/2 in. x 7 in. Meritor Q

New Brake Shoe

PROBSN4515Q20PR

New Brake Shoe Kit*

PROBKN4515Q20STD
PROBKN4515Q20PR
PROBKN4515Q23STD
PROBKN4515Q23PR

Brake Hardware Kit(s) PROWB047, PROWB001LD

* Each Brake Shoe Kit comes boxed with (2) brakes shoes and (1) hardware kit

Brake Shoes



**FMSI# 4707Q - 16-1/2 in. x 7 in. Meritor Q Plus,
Spicer XTRALIFE II & Hendrickson INTRAAX**

New Brake Shoe

PROBSN4707Q20STD
PROBSN4707Q20PR

New Brake Shoe Kit*

PROBKN4707Q20STD
PROBKN4707Q20PR
PROBKN4707Q23STD

Brake Hardware Kit(s) **PROWB047, PROWB001A**

* Each Brake Shoe Kit comes boxed with (2) brakes shoes and (1) hardware kit




(PROBKN4311E23PR)

	FMSI#	Size	Type	Additional
PROBKN1477TMHS	1477	16.53 in.	New Brake Shoe Kit	Theurer 23K
HDXGR1477TD	1477	420mm x 179.8mm (16.54 in. x 7.08 in.)	Brake Lining	
PROBKN4311E23PR	4311E	16-1/2 in. x 7 in.	New Brake Shoe Kit	Eaton Low Mount
STENS-4311E	4311E	16-1/2 in. x 7 in.	Brake Shoe	Eaton Low Mount
STENS-4515F	4515F	16-1/2 in. x 7 in.	Brake Shoe	Fruehauf P, Steel
STENS-4515P	4515P	16-1/2 in. x 7 in.	Brake Shoe	R'Well P, Steel
STENS-4515Q	4515Q	16-1/2 in. x 7 in.	Brake Shoe	Meritor Q+, Steel, Standard
STEWKS4515QCXLBL	4515Q	16-1/2 in. x 7 in.	New Brake Shoe Kit	Meritor Q+, Steel, with B-Lock
STENS-4707Q	4707Q	16-1/2 in. x 7 in.	Brake Shoe	Meritor Q+, Steel, Shoe
STEWKS4707QCXLBL	4707Q	16-1/2 in. x 7 in.	New Brake Shoe Kit	Meritor Q+, Steel, Kit

Brake Camshafts

1-1/2 in. - 10 Spline


Eaton Trailer Axles 16-1/2 in. Brakes



	Head End	Cross Reference	A	B	Cam Repair Kit(s):
PROWC292L	LH	Eaton 125034, 807286	19-1/2 in.	2-7/32 in.	PROWCR1420
PROWC293R	RH	Eaton 125035, 807287			
PROWC544L	LH	Eaton 125030, 807304	23-3/4 in.	2-7/32 in.	
PROWC545R	RH	Eaton 125031, 807305			

1-1/2 in. - 28 Spline


Meritor Trailer Axles 16-1/2 in. Brakes



	Head End	Cross Reference	A	B	Cam Repair Kit(s):
PROWC504L	LH	Meritor 2210-M-4329	17-5/16 in.	1-23/32 in.	PROWCR1419, PROWCR1432, PROWCR1442
PROWC505R	RH	Meritor 2210-L-4328			
PROWC526L	LH	Meritor 2210-R-4334	20-13/32 in.	1-23/32 in.	
PROWC527R	RH	Meritor 2210-Q-4333			

1-5/8 in. - 37 Spline

Fruehauf 16-1/2 in. "Pro-Par" Brakes




	Head End	Cross Reference	A	B	Cam Repair Kit(s):
PROWC528L	LH	Fruehauf AXA-0420-1	16-1/8 in.	2-5/32 in.	PROWCR1407, PROWCR1408
PROWC529R	RH	Fruehauf AXA-0420-2			
PROWC512L	LH	Fruehauf AXA-0420-3	21-1/8 in.	2-5/32 in.	
PROWC513R	RH	Fruehauf AXA-0420-4			

Brake Camshafts

1-1/2 in. - 28 Spline

Meritor 16-1/2 in. "Q+" Brakes



	Head End	Cross Reference	A	B	Cam Repair Kit(s):
PROWCQ350L	LH	Meritor 2210-C-6867	17-5/16 in.	1-63/64 in.	PROWCR1442, PROWCR1442HD, PROWCR1443
PROWCQ351R	RH	Meritor 2210-B-6866			
PROWCQ352L	LH	Meritor 2210-G-6871	20-13/32 in.	1-63/64 in.	
PROWCQ353R	RH	Meritor 2210-F-6870			

Camshaft Repair Kits

PROWCR1407



Brake Diameter: 12-1/4 in. & 16-1/2 in.
Fit: Fruehauf Pro-Par XEM & FQ Series

PROWCR1410



Brake Diameter: 16-1/2 in.
Fit: Dana FC & Xtra-Life Series

PROWCR1420



Brake Diameter: 16-1/2 in.
Fit: Eaton 501, EB & ES

PROWCR1432



Brake Diameter: 16-1/2 in.
Fit: Meritor 4000-6000 Trailer Axle

Camshaft Repair Kits

Heavy Duty PROWCR1435HD



Brake Diameter: 16-1/2 in.
Fit: Meritor Q and Q+ with press in bushing

Slack Adjuster Hardware

Trailer Slack Adjuster Bracket HDX427-10565



Slack Adjusters

Automatic

	Spline	Arm Length	Type	Bracket Type	Additional
GUNAS1133	1-1/4 in. - 10	6 in.			Straight
STEMK21104S	1-1/2 in. - 10	5 in., 6 in., 7 in.			Straight
BRUCB21102		5-1/2 in., 6-1/2 in.			Straight
STEMK22104S		5 in., 6 in., 7 in.			Straight
GUNAS1140		5-1/2 in.			Straight
HDX400-20211		5-1/2 in.	S-ABA	Plate & Flat Stud	Straight
MTRR803110	1-1/2 in. - 28	5-1/2 in.			Straight
PROSA55073		5-1/2 in.	Unhanded	Strap	Chamber Size: 24, 30
BRUCB22102		5-1/2 in., 6-1/2 in.			Straight
GUNAS1141		6 in.			Straight
MTRR803112		6 in.			Straight
BRUCB23102	1-5/8 in. - 37	5-1/2 in., 6-1/2 in.			Straight
STEMK23103S		6 in.			



(BRUCB22102)



(GUNAS1140)



(HDX400-20211)



(MTRR803110)



(PROSA55073)

Axles

Slack Adjusters





Slack Adjusters

Manual

	Spline	Arm Length	Type	Bracket Type	Additional
STEMM1200S	1-1/2 in. - 10	5 in., 6 in., 7 in.			Straight
STEMM1202S		5-1/2 in., 6-1/2 in.			Straight
STEMM2200S	1-1/2 in. - 28	5 in., 6 in., 7 in.			Straight
STEMM2202S		5-1/2 in., 6-1/2 in.			Straight

Stemco

Air Reservoir



Bulk Reinforced Nylon Tubing

	Outer Diameter	Color	Length
AIR1-29	0.38 in.	Blue	100 ft.
AIR1-33	0.38 in.	Red	100 ft.
AIR1-42	0.50 in.	Blue	100 ft.
AIR1-47	0.50 in.	Red	100 ft.



Air Systems

Air Hoses

Rubber Air Hose Assemblies

3/8 in. Inner Diameter

	Length	Color	End Fittings	Additional
TRA32002-024	24 in.	Black	3/8 in. Fixed - Swivel	Heavy Duty
AIR3830	30 in.	Black	3/8 in. Swivel - Swivel	
HEBSTD3814-36	36 in.	Black	3/8 in. Swivel - Swivel	
AIR3840	40 in.	Black	3/8 in. Swivel - Swivel	
AIR3848	48 in.	Black	3/8 in. Swivel - Swivel	
TRA32002-048	48 in.	Black	3/8 in. Fixed - Swivel	Heavy Duty
TRA31509-072	72 in.	Black	3/8 in. Swivel - 1/2 in. Swivel	Spring Guard



1/2 in. Inner Diameter

	Length	End Fittings
AIR282366-24	24 in.	3/8 in. Swivel - Swivel
AIRPS1238-24	24 in.	3/8 in. Swivel - Swivel
AIRPS1238-28	28 in.	3/8 in. Swivel - Swivel
AIR282366-36	36 in.	3/8 in. Fixed - Swivel
AIRPS1238-36	36 in.	3/8 in. Swivel - Swivel
AIRPS1238-40	40 in.	3/8 in. Swivel - Swivel
AIR282366-42	42 in.	3/8 in. Fixed - Swivel
HEBSTD1238-54	54 in.	3/8 in. Fixed - Swivel
AIRPS1238-60	60 in.	3/8 in. Swivel - Swivel
HEBSTD1238-60	60 in.	3/8 in. Fixed - Swivel
HEBSTD1238-72	72 in.	3/8 in. Fixed - Swivel
HEBSTD1238-80	72 in.	3/8 in. Fixed - Swivel



(AIRPS1238-28)



(HEBSTD1238-60)



(AIR282366-36)

Rubber Slider Hose Assemblies

Rubber Slider Hose Assemblies

	ID	Length	End Fittings	Additional
AIR346600-112S	1/4 in.	112 in.	3/8 in. Tube	Spring Guard
FRUACE9169-18	3/8 in.	108 in.	3/8 in. Tube - 3/8 in. Tube Bulkhead	Spring Guard



(AIR346600-112S)



(FRUACE9169-18)

Wheel End

Bearings & Seals

Bearings

Part Number	Type
HYTHM212049	Cone
HYTHM218248	Cone
HYTHM518445	Cone



General Bearing

Part Number	Type
PROBRSET405	Set
PROBRSET413	Set
PROBRSET414	Set
PROBRSET415	Set

Part Number	Type
PROBRHM218248	Cone



Pro-Par

Part Number	Type
STEASET049-011	Set
STEASET248-210	Set
STEASET445-410	Set
STEASET663-53	Set



Stemco

Seals

Scotseal®

Part Number	Type	Inner Diameter	Outer Diameter	Width
CRS46305	Classic	4-5/8 in.	6-1/64 in.	1-1/16 in.



Designed to handle a range of road and driving conditions. Three-lip sealing element contains a pre-lube, spring-loaded primary sealing lip, a dirt exclusion lip, and an outer bumper lip.

SKF

Classic

Seals

Pro-Par

Part Number	Type	Inner Diameter	Outer Diameter	Width
PROWS0025A	Trailer Axle	4-5/8 in.	6-3/64 in.	15/16 in.
PROWS0065A	Trailer Axle	4-1/4 in.	6-1/64 in.	1 in.



Unitized - single piece installation, contaminant exclusives is good, nitrile rubber, no spring pops, spindle gasket and bore sealant

Pro-Par

National Seal

Part Number	Type	Outer Diameter	Inner Diameter	Width
NAT380025A	Gold	6-1/64 in.	4-5/8 in.	15/16 in.
NAT380065A	Gold	6-1/64 in.	4-1/4 in.	1 in.
NAT370036A	Red	5-49/64 in.	4 in.	15/16 in.



Gold

Seals utilize chemical resistant, durable polytetrafluoroethylene on the main sealing lip with sufficient contact area to accommodate wheel end movement.



Red

Elastomeric seal provides a traditional material alternative.

Federal Mogul

Triseal

Part Number	Spindle	Outer Diameter	Inner Diameter	Width
TRI65060U	Trailer Axle	6-1/64 in.	4-5/8 in.	1-1/16 in.
TRI65261U	Trailer Axle	5-49/64 in.	4 in.	63/64 in.
TRI65262U	Trailer Axle	6-1/64 in.	4-1/4 in.	3/32 in.
TRI70561B	Trailer Axle	5-3/4 in.	4 in.	19/32 in.
TRI70596	Trailer Axle	6-1/64 in.	4-1/4 in.	31/32 in.
TRI70598	Trailer Axle	6-1/64 in.	4-5/8 in.	1-1/16 in.



Seal features three nitrile lip contact barrier points. With an oversized double-walled, reinforced metal outer diameter. Corrosion proof spacers feature multiple vent holes for enhanced lubrication.

Triseal

Wheel End

Seals

Seals

Stemco

Part Number	Type	Outer Diameter	Inner Diameter	Width
STE307-0713	Guardian HP	5-3/4 in.	4 in.	19/23 in.
STE307-0723	Guardian HP	6-1/64 in.	4-1/4 in.	9/16 in.
STE307-0743	Guardian HP	6 in.	4-5/8 in.	37/64 in.
STE320-2110	-	6 in.	4-3/4 in.	13/16 in.
STE372-7097	Grit Guard	5-45/64 in.	4-5/8 in.	37/64 in.
STE372-7098	Grit Guard	5-3/4 in.	4 in.	19/32 in.
STE372-7099	Grit Guard	6-39/64 in.	4-1/4 in.	9/16 in.
STE373-0113	Voyager	5-49/64 in.	4 in.	15/16 in.
STE373-0123	Voyager	6-1/64 in.	4-1/4 in.	63/64 in.
STE373-0143	Voyager	6 in.	4-5/8 in.	31/32 in.
STE373-0213	Discover	5-49/64 in.	4 in.	15/16 in.
STE373-0223	Discover	6-1/64 in.	4-1/4 in.	63/64 in.
STE373-0243	Discover	6 in.	4-5/8 in.	31/32 in.



Grit Guard

Seal features a two-piece design with a spindle installed deflector ring. Provides dirt exclusion for extended seal performance & insures a new surface for the sealing lip.



Discover

Seal features a high temperature elastomeric co-polymer sealing element combined with Teflon. Sealing element is protected by a four-zone labyrinth to provide unmatched contaminant exclusion & performance.



Voyager

Seal features a bonded rubber outer diameter & piloted entry ensuring an easy & square installation. The ribbed rubber outer diameter also forms a superior seal between the seal case and the hub bore.



Guardian HP

Advanced seal that has been developed for extra protection & greater sealing with a high performance sealing lip, superior contamination exclusion & self-lubricating thrust pad.

Stemco

Cross Reference

Oil Seals

Stemco	Triseal	National Seal	Pro-Par
STE307-0713	TRI65261U	NAT370036A	
STE307-0723	TRI65262U	NAT380065A	PROWS0065A
STE307-0743	TRI65060U	NAT380025A	PROWS0025A
STE320-2110			
STE372-7097	TRI65060U	NAT380025A	PROWS0025A
STE372-7098	TRI65261U	NAT380036A	
STE372-7099	TRI65262U	NAT380065A	PROWS0065A

Stemco	Triseal	National Seal	Pro-Par
STE373-0113	TRI65261U	NAT370036A	
STE373-0123	TRI65262U	NAT380065A	PROWS0065A
STE373-0143	TRI65060U	NAT380025A	PROWS0025A
STE373-0213	TRI65261U	NAT370036A	
STE373-0223	TRI65262U	NAT380065A	
STE373-0243	TRI65060U	NAT380025A	

Hub & Drum Assemblies

Part Number	Drum Type	Spindle Type	Mounting Holes	Stud	Bearing Cup Inner/ Outer	Drum	Hub	Hubcap
KIC001-00125T	Disc	TN/TQ	10	Short	HM218210 HM212011	PROBD16.5X7BM	PROHUB00125T	Bolt On
KIC004-00143LT	Disc	TP	10	Long	HM518410 HM51845	PROBD16.5X7BM	PROHUB00143LT	Bolt On
	Drum Type	Spoke	Diameter	Spacer	Bearing Cup Inner/ Outer	Included		
KIC001-75000TH	Spoke	5	20 in.	-	HM218210 HM212011	-		
KICHUB-75000TH	Spoke	5	20 in.	-	-	clamps, tone ring, spacer		
WEB5580Z--AT	Spoke	TP	20 in.	4.00 in.	-	ABS		
WEB5580ZHCA	5580ZHCA	-	-	-	-	-		
WEB75209--A	Spoke	5	20 in.	4.00 in.	HM218210 HM212011	cups, clamps, studs & nuts		
WEB75209--AT	Spoke	TN	20 in.	4.00 in.	-	ABS		
WEB75209GCAT	Spoke	5	20 in.	-	-	ABS		
WEB85203--A	Spoke	5	20 in.	4.00 in.	653 HM212011	cups, clamps, studs & nuts		
WEB85203GCA	67518	-	-	-	-	-		



(KIC001-00125T)



(KIC004-00143LT)



(WEB75209--A/
WEB85203--A)



(WEB75209--AT)



(WEB75209GCAT)

Wheel End

Drums & Hubcaps

Wheel Brake Drums

16.50 - Disc

Part Number	Brake Size	Bolt Number	Bolt Circle Diameter	Pilot Diameter	Surface Flat	Weight	Type
PROBD16.5X7BMI	16-1/2 x 7.00	10	11-1/4 in.	7-9/16 in.	7-9/16 in.	108.00 lbs	OEM, Balanced

16.50 - Spoke

Part Number	Brake Size	Bolt Number	Bolt Circle Diameter	Pilot Diameter	Surface Flat	Weight	Type
WEB63617	12-1/4 x 7-1/2	6	10 in.	8-1/2 in.	8 in.	69.70 lbs	OEM
WEB68765	16-1/2 x 7.00	5	11-1/4 in.	9-1/2 in.	7-7/16 in.	108.00 lbs	OEM
WEB68730	16-1/2 x 7.00	10	11-1/4 in.	9-1/2 in.	7-7/16 in.	106.85 lbs	OEM
KIC52230-10	16-1/2 x 7-3/8	5, 6	11 in.	9-7/16 in.	7-1/2 in.	99.00 lbs	OEM
WEB67518	16-1/2 x 7-53/64	5	11 in.	9-7/16 in.	7-3/8 in.	105.38 lbs	OEM



(PROBD16.5X7BMI)



(KIC52230-10)

Hubcaps

Steel IMXGT-4007



Holes	Bolt Circle
6	5-1/2 in.

Non-Vented IMXGT-4020B



Type	Outer Diameter
Threaded	-

PSI Grease STE340-4370

Stemco

Holes	Bolt Circle
6	5-1/2 in.

STE340-4975



Stemco

Type	Outer Diameter
Threaded	6-1/4 in. x 8 UN

Accessories

Gasket
330-3077

Hubcaps

TN
STE340-5096



Stemco

Holes	Bolt Circle
6	5-1/2 in.

Accessories

Gasket
330-3009

Non-Vented Steel
STE340-5097



Stemco

Holes	Bolt Circle
6	-

Dirt Exclusion TP
STE342-4195



Stemco

Holes	Bolt Circle
6	6-3/4 in.

Accessories

Gasket	Window Kit
330-3118	359-6095

PSI with Pipe Plug TP
STE343-4372



Stemco

Holes	Bolt Circle
6	6-1/2 in.

TN Steel
TRI87009



Triseal

Holes	Bolt Circle
6	5-1/2 in.

Gasket

Inner	Outer	Bolt Circle
4-5/16 in.	6-13/16 in.	5-1/2 in.
6-3/4 in.	7-5/8 in.	6-3/4 in.

STE330-3009
STE330-3118



Stemco

Bolt Number: 6

Wheel End

Wheels

Wheel End

Steel Wheels

Part Number	Size	Mounting Holes	Piloted	Color	Hand Holes
HAY90262W	17-1/2 in. x 8-1/4 in.	10	Hub	White	5
HAY90541W	22-1/2 in. x 8-1/4 in.	10	Hub	White	2
ACC50408PW	22-1/2 in. x 8-1/4 in.	10	Hub	White	2
ACC50487PW	22-1/2 in. x 8-1/4 in.	10	Hub	White	5



(HAY90541W)



(ACC50408PW)

Steel Rims

Part Number	Size	Color	Material
HAY7520LWDE			
HAY825225DVLW	22-1/2 in. x 8-1/4 in.	White	Steel



Steel Spacer Bands

Corrugated

Color	Size	
White	20.00 in. x 4.00 in.	ACC4020CSB



Accuride

Material: Steel

Wheel End

Wheels & Wheel Attaching

Steel Spacer Bands

Smooth

Part Number	Size	Color	Material
LSASB3315K	15 in. x 3-3/8 in.	White	Steel
LSASB4015K	15 in. x 4 in.	White	Steel
LSASB3320K	20 in. x 3-3/8 in.	White	Steel
LSASB3520K	20 in. x 3-5/8 in.	White	Steel
LSASB4020K	20 in. x 4 in.	White	Steel
LSASB4420K	20 in. x 4-1/2 in.	White	Steel
LSASB3522K	22 in. x 3-5/8 in.	White	Steel
LSASB4022K	22 in. x 4 in.	White	Steel
LSASB4222K	22 in. x 4-1/4 in.	White	Steel



Wheel End

Wheel Attaching Parts

Rim Clamp

Stud	Depth	Width	Height
3/4 in.	1-1/8 in.	2-7/8 in.	2-1/2 in.


PROWF123



Spoke Wheel Stud

Type	Thread
Grade 8	3/4 in. - 10

PROWF715



Spoke Wheel Nut

Height	Hex	Thread
23/32 in.	1-1/4 in.	3/4 in. - 10

PROWF716



Wheel End

Hubodometers

Hubodometers & Brackets

DataTrac® Pro STE600-9999



Electronic Mileage Counter, LCD

Hubodometer

Type	
RPK: 315	STE650-0539
RPM: 504	STE650-0601



RPM Hubodometer

RPM	
500	VEE777717-500
525	VEE777717-525



Hubodometer Bracket

Bolt Circle Diameter	Height	
5-1/2 in.	3-1/2 in.	STE610-0065
6-3/4 in.	5 in.	STE610-0084



Stud Size: 5/16 in.

Hangers

H-7700 Fabricated Center Hangers

	Mount	Additional
HUT7702-02	Under	Fabricated
HUT7702-03	Side	Fabricated



(HUT7702-02)



(HUT7702-03)

H-9700 Fabricated Front Hangers

	Location	Mount	Additional
HUT7701-01	-	Straddle	Fabricated
HUT7701-02	-	Under	Fabricated
HUT20729-01	Left Hand	Side	Fabricated
HUT20730-01	Right Hand	Side	Fabricated



(HUT7701-01)



(HUT7701-02)



(HUT20729-01/
HUT20730-01)

H-9700 Fabricated Center Hangers

	Type	Mount
HUT16171-01	Center	Under
HUT16319-01	Rocker Assembly	Side
HUT16319-02	Rocker Assembly	Under



(HUT16319-02)



(HUT16319-01)



(HUT16171-01)

H-9700 Fabricated Rear Hangers

	Location	Mount
HUT7703-01	-	Straddle
HUT7703-02	-	Under
HUT16483-01	-	Under
HUT20733-01	Left Hand	Side
HUT20734-01	Right Hand	Side



(HUT7703-01)



(HUT7703-02)



(HUT16483-01)



(HUT20733-01/ HUT20734-01)

Suspensions

Suspension Components

Hangers

Front
HUT16481-01



I-Beam - Fabricated

Components

Adjustable Torque Arm
HUT16398-04



Length: 19-1/4 in.
7700/9700 Adjustable with bushing HUT722-00

Torque Arm
HUT715-00



Length: 19-1/4 in.
7700/9700 Fixed with bushing HUT722-00

Equalizer
HUT16158-01



Model: 9700 (One Bolt) Description:
Length: 16-1/2 in. 49 in. Axle
Hole Centers: 11-3/4 in. Centers

Equalizer
HUT750-03



Suspensions

Suspension Components

Spring Seats

HUT19360-01



3/4 in.
5 in. Round

HUT19360-02



1-1/4 in.
5 in. Round

HUT19360-03



1-3/4 in.
5 in. Round

HUT19361-01



3/4 in.
5 in. Round

HUT301-01



3/4 in.

Bottom Plate

HUT706-01



Underslung
Axle: 5 in. Round

HUT710-00



U-Bolts: 7/8 in.
Axle: 5 in. Round

Suspensions

Suspension Components

Bottom Plate

HUT16297-01



U-Bolts: 3/4 in.
Axle: 5 in. Round

Top Plate

HUT16868-01



Components

EZ-Pull Pin Assembly
HUT19300-03



Location: Rear

EZ-Pull Pin Assembly
HUT19033-03



For: 48 in. Frame

Slider Clip
HUT20289-01



Pull Handle Clip
HUT11409-01



Suspensions

Suspension Components

Components

Spacer Block
HUT7030-00



Material: Steel
1/4 in. x 3 in. x 7-9/16 in.

Slider Pad
HUT11421-01



1/4 in. x 2 in. x 96 in.

Handle Return Spring
HUT8018-02



1 in. x 10-1/8 in.

Crank
HUT19224-01



Length: 11-5/8 in.

Pin Puller Cam
HUT8028-00



Pipe 1-1/4 in.

Hanger Wear Plate
HUT755-03



Spring Liner
HUT17350-01



Size: 3 in. x 7-1/2 in.
Material: Galvanized Steel

Torque Arm Bushing
HUT722-00



For: HUT715-00

Suspensions

Suspensions

Suspension Components

Components

Hex Bolt
HUT719-02



Size: 1 in. - 14 x 5 in.

Sleeve Spring Bolt Spacer
HUT756-00



3/4 in. OD x 18 GA x 3-1/4 in.

Screw
HUT9627-00



Size: 5/16 in. - 18 x 5/8 in.

Equalizer Bolt Kit
HUT10287-01



For: H7700

Flange Lock Nut
HUT10562-00



Size: 1 in. - 14

Equalizer Bolt Kit
HUT16353-01



For: H9700

Lock Pin Spring
HUT18064-01



Spring Roller Assembly
MTRR304835



Includes: Bolt, Sleeve, Nut


Suspensions

Leaf Springs & U-Bolt Kits

Leaf Springs

Two Leaf


Type	Length	Leaf	
High	45-3/4 in.	2	RAMTRA2752



Reference: Hutch 324-00

Three Leaf


Type	Height	Length	Leaf	
High	2-15/32 in.	43-13/16 in.	3	STATRA2726



Reference: Hutch 354-00

Three Leaf

Type	Height	Length	Leaf	
High	2-15/32 in.	43-13/16 in.	3	STATRA2727



Reference: Hutch 355-00

U-Bolt Kits

	Size	Length	Width	Thread Length	Included
BLT31464812	3/4 in.	12-1/2 in.	3 in.	6 in.	(2) U-Bolts, (2) Nuts, (2) Washers
BLT31464814	3/4 in.	14-1/2 in.	3 in.	6 in.	(2) U-Bolts, (2) Nuts, (2) Washers
BLT31464900	7/8 in.	12 in.	3 in.	6 in.	(2) U-Bolts, (2) Nuts, (2) Washers
BLT31464904	7/8 in.	14 in.	3 in.	6 in.	(2) U-Bolts, (2) Nuts, (2) Washers
BLT31464912	7/8 in.	12 in.	5 in.	6 in.	(2) U-Bolts, (2) Nuts, (2) Washers



Landing Gear

Legs & Sets

Pro-Par

H-Style

	Type	Travel	Footware / Additional
PROLG100T1-17H	Set		
PROLG100T1-17H-1	Non Gear Leg	17 in.	10 in. x 10 in. x 2 in. Sandshoe
PROLG100T1-17H-2	Gear Leg		

H-Style Gear Kits

Gear Box Kit CMS2 HOLRK-11291
Bevel & Pinion Gear HOLRK-11290
Repair Kit

H-Style Capacities

Lifting Capacity - Rated 39,000 lbs.
100 ft. lbs. Input Torque
Ultimate Load Capacity 140,000 lbs.
Side Load Capacity 27,000 lbs.



J-Style

	Type	Travel	Footware / Additional
PROLG100T-17J	Set		
PROLG100T-17J-1	Non Gear Leg	17 in.	10 in. x 10 in. x 2 in. Sandshoe Outside Mount
PROLG100T-17J-2	Gear Leg		

J-Style Capacities

Lifting Capacity - Rated 50,000 lbs.
100 ft. lbs. Input Torque
Ultimate Load Capacity 140,000 lbs.
Side Load Capacity 26,000 lbs.



SAF-Holland

Atlas 55 Series

	Type	Travel	Footware / Additional
BINLG4009-7000E900	Set		
BINLG4009-7100E900	Non Gear Leg	17 in.	Low Profile Sandshoe, HD Solid Axle
BINLG4009-7200E900	Gear Leg		
BINLG4009-9000E900	Set		
BINLG4009-9100E900	Non Gear Leg	19 in.	Low Profile Sandshoe, HD Solid Axle
BINLG4009-9200E900	Gear Leg		

Capacities

Lifting Capacity - Rated 55,000 lbs.
100 ft. lbs. Input Torque
Ultimate Load Capacity 170,000 lbs.
Side Load Capacity 30,000 lbs.



Landing Gear

Legs & Hardware

Jost

Standard - Outside Mount

	Type	Travel	Footware / Additional
JOSA400.T18.17	Set		
JOSA400L.T18.17	Non Gear Leg	17 in.	Low Profile Sandshoe, Solid Axle
JOSA400R.T18.17	Gear Leg		

Capacities


Lifting Capacity - Rated	55,000 lbs.
100 ft. lbs. Input Torque	
Ultimate Load Capacity	160,000 lbs.
Side Load Capacity	29,000 lbs.



Crank Handles

Vertical Fold

	A	B	Diameter	Type
PROLG-CR15V	15 in.	13 in.	1-1/4 in.	T-Slot
PROLG-CR21V	21 in.	13 in.	1-1/4 in.	T-Slot




Adjustable Braces

	Thickness	Adjustable Length
PROLG-BR26-41XHD	Heavy Duty	26 in. to 41 in.
BUF1006-1767	Heavy Duty	42 in. to 57 in.
PROLG-BR56-72XHD	Heavy Duty	56 in. to 72 in.



Cross Shafts

	Length	Additional Info
JOSB10066.43.4	43-2/5 in.	CIMC chassis
PROLG-XS53-72	53 in. to 72 in.	Adjustable, 3 pcs.
PROLG-XS65	65 in.	



Sandshoe

Low Profile

	Sides	Base	Gusset	Additional
PROLG-SH10X10X2	7 ga.	7 ga.	None	1/4 in. Patch




Landing Gear

Components

Hardware


Lower Bracing Lug
BUF1008-2641

Buffers USA



Material: Steel - 3/8 in.


Brace Lug
PROLG-BL04



Material: Steel


Bracing Lug
PEN02-44

Penz



Material: Steel 3/8 in.

Aft Bracing
WAB29S01129



Material: Steel
Length: 29-5/8 in.

For: JB Hunt Chassis

Solid Axle
PROLG-AX03



Length: 8-1/4 in.
Material: Steel


Solid Axle Kit
BUF1002-2775-KIT



Length: 8-3/8 in.
Capped


Mounting Bracket

Hyundai Style
BUF1007-2788



Material: Steel


Cheetah Style
BUF1007-6379



Material: Steel


Cheetah Style

Location
Curbside **BUF1007-6380-CS**
Roadside **BUF1007-6380-RS**




Material: Steel

Hercules AJAX Style
BUF1007-7327



Material: Steel

Cheetah Style
BUF1007-8045



Material: Steel

Mounting Hardware

Landing Gear Bolt Kit
Grade 8

BLTFSP005-05KIT



Length	Thread	Diameter	Grade	Count	Item
1-7/8 in.	18	5/8 in.	8	12	Bolts
		5/8 in.	8	12	Lock Nuts
		5/8 in.		12	Flat Washers

Couplers & Hitches

Kingpins & Hooks


Maltese Cross

	Plate Thickness	Diameter	A	B
PROKP-X2-2.4	1/4 in.	2 in.	2-1/2 in.	3-9/16 in.
PROKP-X2-3.6	1/4 in.	2 in.	3-5/8 in.	3-9/16 in.
HOLKP-AAR-5-E	5/16 in.	2 in.	2-1/2 in.	3-7/11 in.
PROKP-X4-2.4	3/8 in.	2 in.	2-1/2 in.	3-11/16 in.



'L' Series

	Plate Thickness	Diameter	A
HOLKP-AAR-L-C	1/4 in.	2 in.	3-9/16 in.



Pintle Hooks

**Adapter Bracket
PRE267**



Premier

For: 260, 270, 220

**270 Coupler
PRE270**



Premier

Air Adjusted with Thimble

Safety & Accessories

Tape & Bumpers

Conspicuity Tape

Diamond Grade™

Marking Series 963 & 983

	Color	Width	Length	Unit	Count
MMM983-10-2X18	White	2 in.	18 in.	Strips	100
MMM983-32-2X18	Red/White (11/7 in.)	2 in.	18 in.	Strips	100



(MMM983-10-2X18)



(MMM983-32-2X18)

3M


ORALITE®

Marking Series V82 & V92

	Color	Width	Length	Unit
REF18692	Red/White (6/6 in.)	2 in.	150 ft.	Strips
REF18697	Red/White (6/6 in.)	2 in.	150 ft.	



(REF18692)



(REF18697)

Orafol

Dock Bumpers

Fiber-Reinforced

Part Number	Width	Height	Length	Number of Bolt Holes	Bolt Center	Cross Reference
BUF4502-1267	2-7/8 in.	3-1/4 in.	6 in.	2		
BUYB5500	3 in.	3 in.	6 in.	2		HYU10001203
BUF4502-1277	5-1/2 in.	3-5/8 in.	8 in.	4		
IMXGT-2046	6 in.	3 in.	8 in.	4		



Safety & Accessories

Twist Locks

Twist Locks

Non-Retractable with Light Holes


Location	
Universal	TWL-TL010



Pro-Fit

Replacement Parts	
Handle TWL-HA008	Pin TWL-PT033
	Spring TWL-HD008


Location	
Front Curbside // Rear Roadside	TWL-TL008
Front Roadside // Rear Curbside	TWL-TL011



Pro-Fit

Replacement Parts	
Handle TWL-HA003	Pin
Latch TWL-LA011	Spring TWL-HD008

Location	
Universal	TWL-TL036



Pro-Fit

Replacement Parts	
Handle TWL-HA063	Pin TWL-PT100
	Spring TWL-HD079

Type	
Retractable	TWL-TL004
Non-Retractable	TWL-TL001



Pro-Fit

Replacement Parts	
Handle TWL-HA001	Pin TWL-PT007
Latch TWL-LA002	Spring TWL-HD008


Type	
Retractable	TWL-TL005
Non-Retractable	TWL-TL006



Pro-Fit

Replacement Parts	
Handle TWL-HA001 TWL-HA023	Pin TWL-PT007
	Spring TWL-HD008

Location	
Universal	TWL-DL010



Pro-Fit


Replacement Parts	
Handle TWL-HA009	Pin TWL-PT151
	Spring TWL-HD004

Twist Locks

Drop-In

70° Handle Rotation


Location		
Front Curbside // Rear Roadside		TWL-DL014
Front Roadside // Rear Curbside		TWL-DL015



Pro-Fit

Replacement Parts	
Handle TWL-HA108	Pin TWL-PT005
	Spring TWL-HD004

Location		
Front Curbside // Rear Roadside		TWL-DL003
Front Roadside // Rear Curbside		TWL-DL004




Pro-Fit

Replacement Parts	
Handle TWL-HA019	Pin
	Spring TWL-HD008

Drop-In

80° Handle Rotation, Low Profile

Location		
Front Curbside // Rear Roadside		TWL-DL005
Front Roadside // Rear Curbside		TWL-DL019




Pro-Fit

Replacement Parts	
Handle TWL-HA039	Pin TWL-PT149
	Spring TWL-HD004

Retractable Style


Location		
Universal		TWL-TL010



Pro-Fit

Replacement Parts	
Spring TWL-HD004	


Location		
Left Hand		PEN90-33L
Right Hand		PEN90-33R



Pro-Fit

Replacement Parts	
Spring TWL-HD004	Handle TWL-HA025 TWL-HA019

Location		
Left Hand		TWL-TL071
Right Hand		TWL-TL072



Pro-Fit


Replacement Parts	
Spring TWL-HD004	Steel Ball TWL-HD006

Safety & Accessories

Twist Locks

Pin Locks

TWL-PL001




Replacement Parts

Handle	Pin
TWL-HA006	TWL-PP001
Latch	
TWL-LA004	

Pro-Fit

Location
Front Roadside
Front Curbside

TWL-PL003
TWL-PL002




Replacement Parts

Handle	Pin
TWL-HA006	TWL-PP001
Latch	
TWL-LA001	

Pro-Fit

Location
Front Roadside
Front Curbside

TWL-PL004
TWL-PL006




Replacement Parts

Handle	Pin
TWL-HA056	TWL-PP018
Latch	
TWL-LA007	

Pro-Fit

Location
Front Roadside
Front Curbside

TWL-PL010
TWL-PL011



Replacement Parts

Pin with Handle	Split Roll Pin
TWL-PP008	TWL-HD070
Latch	
TWL-LA010	

Pro-Fit

Location
Front Curbside
Front Roadside

TWL-PL008
TWL-PL018




Replacement Parts

Handle	Pin
TWL-HA075	TWL-PP013
Latch	
TWL-LA040	

Pro-Fit

Location
Left Hand
Right Hand

TWL-PL004
TWL-PL006



Replacement Parts

Latch	Locking Pin
TWL-LA007	TWL-PP018

Pro-Fit

Components

Detent Ball TWL-HD006



Pro-Fit


Material: Chrome Alloy
Size: 10mm
Cross: Penz 16-01, Schulz 905-000-193

Lower Casting Container WAB05300059



Domestic 102-19/50 in. Container casting;
bottom interm with double ISO & flange


Handle TWL-HA006



Pro-Fit

Material: Steel with Zinc Plate
Fits: BUF1103-1175


Handle TWL-HA003



Pro-Fit

Material: Steel with Zinc Plate
Fits: BUF1101-1207
Cross: Penz 20-126

Handle TWL-HA007



Pro-Fit


Material: Steel with Primer
Cross: Penz 20-55, Schulz 905-177-003

Safety & Accessories


Twist Locks

Components


Handle




Handle




Westlake Style Handle



Handle




Handle




Twist Handle



Safety Latch




Safety Latch



Components


**Safety Latch
TWL-LA001**



Pro-Fit

Material: Steel with Zinc Plate
Fits: BUF1103-1213


**Safety Latch
TWL-LA010**



Pro-Fit

Material: Steel with Zinc Plate
Fits: BUF1103-1624
Cross: Penz 25-11, Schulz 905-238-002


**Safety Latch
TWL-LA007**



Pro-Fit

Material: Steel with Zinc Plate
Fits: BUF1103-1417
Cross: Penz 25-16


**Safety Latch
TWL-LA002**



Pro-Fit


Material: Steel with Primer Finish
Fits: BUF1101-3590

**Lock Latch
TWL-LA006**



Pro-Fit


**Pin
TWL-PT002**



Pro-Fit

Material: Steel with Primer Finish
Fits: BUF1101-1207


**Pin
TWL-PT001**



Pro-Fit

Material: Steel with Primer Finish
Fits: Schulz F33NS-LP

**Pin
TWL-PT004**





Pro-Fit

Material: Ductile Iron with Primer Finish

Safety & Accessories

Twist Locks & Vent

Components



Vent

BUF4402-2278


Fits Jindo 48 ft., Pacer 53 ft.
ABS plastic with rubber seal



Buffers USA

Tech Tip

Twist Lock Identification



Safety & Accessories

Document Holders & Mudflaps

Document Holder

Security Box
JKG350



Material: Xenoy
Size: 5-1/4 in. x 2 in. x 7 in.

Accessories

Replacement Lid
JKG300-LID

Tube Box
TIS158-CK



Accessories

Replacement Lid
TIS158-E

Certificate Holder

BETPS1

IMXGT-1007

PHI16-802

TRU97960

OPTDH55Y

Diameter Height

5 in. 2 in.

5-7/32 in. 2-5/32 in.



(BETPS1)



(IMXGT-1007)



(PHI16-802)



(TRU97960)



(OPTDH55Y)

Replacement Parts

Replacement Lid: IMXGT-1008

Replacement Lid: PHI16-801

Mudflap Brackets

Mudflap Bracket
IMXGT-3000



30 in.; 10 GUAGE

Flap Retainer
WAB02600007



2 in. x 22-1/2 in.

Safety & Accessories

Mudflaps

Polyguard Mudflaps

Anti-Spray Heavy Duty

	Type	Color	Thickness	Width	Height
IMXGT-2424PHDB	Straight	Black	3/8 in.	24 in.	24 in.
IMXGT-2424PHDW	Straight	White	3/8 in.	24 in.	24 in.
IMXGT-2430PHDB	Straight	Black	3/8 in.	24 in.	30 in.
IMXGT-2430PHDW	Straight	White	3/8 in.	24 in.	30 in.
IMXGT-2436PHDB	Straight	Black	3/8 in.	24 in.	36 in.
IMXGT-2436PHDW	Straight	White	3/8 in.	24 in.	36 in.

Channeled back reduces spray; special combo of polymers prevents sail, curling & cracking



Anti-Spray Medium

	Type	Color	Thickness	Width	Height
IMXGT-2424PPSB	Straight	Black	1/4 in.	24 in.	24 in.
IMXGT-2424PPSW	Straight	White	1/4 in.	24 in.	24 in.
IMXGT-2430PPSB	Straight	Black	1/4 in.	24 in.	30 in.
IMXGT-2430PPSW	Straight	White	1/4 in.	24 in.	30 in.
IMXGT-2436PPSB	Straight	Black	1/4 in.	24 in.	36 in.
IMXGT-2436PPSW	Straight	White	1/4 in.	24 in.	36 in.

Channeled back reduces spray; special combo of polymers prevents sail, curling & cracking



Standard

	Type	Color	Thickness	Width	Height
IMXGT-2424PSB	Straight	Black	3/16 in.	24 in.	24 in.
IMXGT-2424PSW	Straight	White	3/16 in.	24 in.	24 in.
IMXGT-2430PSB	Straight	Black	3/16 in.	24 in.	30 in.
IMXGT-2430PSW	Straight	White	3/16 in.	24 in.	30 in.
IMXGT-2436PSB	Straight	Black	3/16 in.	24 in.	36 in.
IMXGT-2436PSW	Straight	White	3/16 in.	24 in.	36 in.

Economic; special combo of polymers prevent sail, curling & cracking



Rubber Mudflaps

Anti-Spray Heavy Duty

	Type	Color	Thickness	Width	Height
IMXGT-2424HD	Straight	Black	1/2 in.	24 in.	24 in.
IMXGT-2430HD	Straight	Black	1/2 in.	24 in.	30 in.
IMXGT-2436HD	Straight	Black	1/2 in.	24 in.	36 in.



Fiber reinforced rubber; raised knobs on back for anti-spray

Chevron

	Type	Color	Thickness	Width	Height
IMXGT-2424CD	Straight	Black	1/4 in.	24 in.	24 in.
IMXGT-2430CD	Straight	Black	1/4 in.	24 in.	30 in.
IMXGT-2436CD	Straight	Black	1/4 in.	24 in.	36 in.



100% fiber reinforced rubber; economy style flap; equipped with mounting holes for angle bracket

Standard

	Type	Color	Thickness	Width	Height
IMXGT-2418S	Straight	Black	5/16 in.	24 in.	18 in.
IMXGT-1924S	Straight	Black	5/16 in.	19 in.	24 in.
IMXGT-2424S	Straight	Black	5/16 in.	24 in.	24 in.
IMXGT-2430S	Straight	Black	5/16 in.	24 in.	30 in.
IMXGT-2436S	Straight	Black	5/16 in.	24 in.	36 in.



Bordered edge gives clean look; preferred flap for custom logos; fiber reinforced rubber

Flap Mounting Bolt Kit

Count	
50 Kits	IMXGT-27516BUCKET



- Kit Includes: 4 Bolts, 4 Lock Washers, 4 Nuts & 8 Flat Washers

A

ACC4020CSB 38
 ACC50487PW 38
 ACC50408PW 38
 AIR1-29 29
 AIR1-33 29
 AIR1-42 29
 AIR1-47 29
 AIR282366-24 30
 AIR282366-36 30
 AIR282366-42 30
 AIR346600-112S 31
 AIR3830 30
 AIR3848 30
 AIR3840 30
 AIRPS1238-24 30
 AIRPS1238-28 30
 AIRPS1238-36 30
 AIRPS1238-40 30
 AIRPS1238-60 30

B

BETPS1 61
 BINLG4009-7100E900 48
 BINLG4009-7200E900 48
 BINLG4009-7000E900 48
 BINLG4009-9100E900 48
 BINLG4009-9200E900 48
 BINLG4009-9000E900 48
 BLT31464812 47
 BLT31464814 47
 BLT31464912 47
 BLT31464904 47
 BLT31464900 47
 BLTFSP005-05KIT 51
 BLTKIT1207 8
 BMP-HY84 7
 BMP-HY02 7
 BMP-HY05 7
 BMP-HY06 7
 BRUCB21102 27
 BRUCB22102 27
 BRUCB23102 27
 BUF1107-1464 58
 BUF1002-2775-KIT 50
 BUF1006-1767 49
 BUF1007-2788 51
 BUF1007-6379 51
 BUF1007-6380-CS 51
 BUF1007-6380-RS 51
 BUF1007-7327 51
 BUF1007-8045 51
 BUF1008-2641 50
 BUF4402-2278 60
 BUF4502-1267 53
 BUF4502-1277 53
 BUYB5500 53

C

CRS46305 32

F

FAN-HY14 8
 FAN-HY24 8
 FAN-HY44 8
 FAN-HY48 8
 FRUACE9169-18 31

G

GRT66910 20
 GRT67002 21
 GUNAS1133 27
 GUNAS1141 27

GUNAS1140 27

H

HAY7520LWDE 38
 HAY825225DVLW 38
 HAY90262W 38
 HAY90541W 38
 HDX427-10565 27
 HDX400-20211 27
 HDXGR1477TD 24
 HEBSTD1238-54 30
 HEBSTD1238-60 30
 HEBSTD1238-72 30
 HEBSTD1238-80 30
 HEBSTD3814-36 30
 HOL50866002 23
 HOLKP-AAR-5-E 52
 HOLKP-AAR-L-C 52
 HOS1219 29
 HOS1254 29
 HOS9534 29
 HOS9508 29
 HUT11421-01 45
 HUT11409-01 44
 HUT16158-01 42
 HUT16171-01 41
 HUT16297-01 44
 HUT16319-01 41
 HUT16319-02 41
 HUT16353-01 46
 HUT16398-04 42
 HUT16481-01 42
 HUT16483-01 41
 HUT16868-01 44
 HUT17350-01 45
 HUT18064-01 46
 HUT19224-01 45
 HUT19361-01 43
 HUT19360-01 43
 HUT19360-02 43
 HUT19360-03 43
 HUT19300-03 44
 HUT19033-03 44
 HUT10287-01 46
 HUT10562-00 46
 HUT20289-01 44
 HUT20729-01 41
 HUT20733-01 41
 HUT20734-01 41
 HUT20730-01 41
 HUT301-01 43
 HUT715-00 42
 HUT719-02 46
 HUT710-00 43
 HUT722-00 45
 HUT755-03 45
 HUT756-00 46
 HUT750-03 42
 HUT7701-01 41
 HUT7701-02 41
 HUT7702-02 41
 HUT7702-03 41
 HUT7703-01 41
 HUT7703-02 41
 HUT7030-00 45
 HUT706-01 43
 HUT8018-02 45
 HUT8028-00 45
 HUT9627-00 46
 HYTHM212049 32

HYTHM218248 32

HYTHM518445 32

HYU20029456 5

HYU20037893 7

HYU20005008 5

IMXGT-1924S 63

IMXGT-1007 61

IMXGT-2418S 63

IMXGT-2424CD 63

IMXGT-2424HD 63

IMXGT-2424PHDB 62

IMXGT-2424PHDW 62

IMXGT-2424PPSB 62

IMXGT-2424PPSW 62

IMXGT-2424PSB 62

IMXGT-2424PSW 62

IMXGT-2424S 63

IMXGT-2436CD 63

IMXGT-2436HD 63

IMXGT-2436PHDB 62

IMXGT-2436PHDW 62

IMXGT-2436PPSB 62

IMXGT-2436PPSW 62

IMXGT-2436PSB 62

IMXGT-2436PSW 62

IMXGT-2436S 63

IMXGT-2430CD 63

IMXGT-2430HD 63

IMXGT-2430PHDB 62

IMXGT-2430PHDW 62

IMXGT-2430PPSB 62

IMXGT-2430PPSW 62

IMXGT-2430PSB 62

IMXGT-2430PSW 62

IMXGT-2430S 63

IMXGT-27516BUCKET 63

IMXGT-2046 53

IMXGT-3000 61

IMXGT-4020B 36

IMXGT-4007 36

JKG350 61

JOSA400L.T18.17 49

JOSA400R.T18.17 49

JOSA400.T18.17 49

JOSB10066.43.4 49

KIC52230-10 36

KICHUB-75000TH 35

KIC001-75000TH 35

KIC001-00125T 35

KIC004-00143LT 35

LHTGR2500 18

LHTGR2000 18

LHTL2001 16

LHTL2000 19

LHTLEDF4000-1R2 14

LHTLEDRF2500-1AC 13

LHTLEDRF2500-1RC 13

LHTLEDRF2000-1AC 10

LHTLEDRF2000-1RC 10

LHTLLP1225C-2 16

LHTML2040A 16

LHTML2040R 16

LHTPT6020 20

LHTPT9180 21

LHTPT9530 21

LHTSI2500A 12

LHTSI2500ABS 12

LHTSI2500R 12

LHTSI2000A 9

LHTSI2000ABS 9

LHTSI2000R 9

LHTSI4000R 14

LHTSI4000R-2 14

LHTSRF2500R-2 13

LHTSRF2500A-2 13

LHTSRF2000R 9

LHTSRF2000A 9

LSASB3315K 39

LSASB3320K 39

LSASB3522K 39

LSASB3520K 39

LSASB4222K 39

LSASB4420K 39

LSASB4015K 39

LSASB4022K 39

LSASB4020K 39

MMM983-10-2X18 53

MMM983-32-2X18 53

MTRKITSTNEW 22

MTRMER614723 22

MTRMER614743 22

MTRR304835 46

MTRR803112 27

MTRR803110 27

NAT370036A 33

NAT380025A 33

NAT380065A 33

OPTA11DB 19

OPTA11GB 19

OPTA11SRB 19

OPTA45PB 20

OPTA46PB 20

OPTA47PB 21

OPTA70GB 19

OPTAL45PWTB 20

OPTDH55Y 61

OPTLP26SKB 17

OPTLP91CB 17

OPTMC52AOB 10

OPTMC52ROB 10

OPTMC54AB 11

OPTMC54RB 11

OPTMC56AB 13

OPTMC56RB 13

OPTMC505ABSB 11

OPTMC92AB 16

OPTMC92RB 16

OPTMCL11RPG 9

OPTMCL11APG 9

OPTMCL11SAB 9

OPTMCL11SAKB 9

OPTMCL11SRB 9

OPTMCL11SRKB 9

OPTMCL52AB 10

OPTMCL52AMB 10

OPTMCL52RB 10

OPTMCL52RMB 10

OPTMCL56AFB 10

OPTMCL56RFB 10

OPTMCL505ABSB 10

OPTRE35AB 18



OPTRE35RB 18
 OPTST47ROB 14
 OPTSTL13RFB 14
 OPTSTL13RFMB 14
 OPTSTL13RFMTB 14
 OPTSTL003RFLB 15
 OPTSTL003SRFLB 15
 OPTSTL003SRFOLB 15
 OTPST75AB 16
P
 PEN90-33L 55
 PEN90-33R 55
 PEN02-44 50
 PETB477A 18
 PETB477R 18
 PETB489A 18
 PETB489R 18
 PETB490A 18
 PETB490R 18
 PETM189FA 13
 PETM189FR 13
 PETM189FR-AMP 13
 PETM189FA-AMP 13
 PETM190FA 11
 PETM190FA-AMP 11
 PETM190FR 11
 PETM190FR-AMP 11
 PETM294C 17
 PETM814R 15
 PETM824R 15
 PHI16-802 61
 PNL-HY06 5
 PRE267 52
 PRE270 52
 PROAXL71NME67 22
 PROAXL71NSE67 22
 PROAXL71PSE67 22
 PROBC-3030 23
 PROBC-3030LS 23
 PROBD16.5X7BMI 36
 PROBKN1477TMHS 24
 PROBKN4311E23PR 24
 PROBKN4515Q23PR 23
 PROBKN4515Q23STD 23
 PROBKN4515Q20PR 23
 PROBKN4515Q20STD 23
 PROBKN4707Q23STD 24
 PROBKN4707Q20PR 24
 PROBKN4707Q20STD 24
 PROBRHM218248 32
 PROBRSET413 32
 PROBRSET414 32
 PROBRSET415 32
 PROBRSET405 32
 PROBSN4515Q20PR 23
 PROBSN4707Q20PR 24
 PROBSN4707Q20STD 24
 PROKP-X2-2.4 52
 PROKP-X2-3.6 52
 PROKP-X4-2.4 52
 PROLG100T1-17H 48
 PROLG100T1-17H-1 48
 PROLG100T1-17H-2 48
 PROLG100T-17J 48
 PROLG100T-17J-1 48
 PROLG100T-17J-2 48
 PROLG-AX03 50
 PROLG-BL04 50
 PROLG-BR26-41XHD 49

PROLG-BR56-72XHD 49
 PROLG-CR15V 49
 PROLG-CR21V 49
 PROLG-SH10X10X2 49
 PROLG-XS53-72 49
 PROLG-XS65 49
 PROSA55073 27
 PROWB047 24
 PROWB001A 24
 PROWB047 23
 PROWB001LD 23
 PROWB050 23
 PROWC292L 25
 PROWC293R 25
 PROWC512L 25
 PROWC513R 25
 PROWC526L 25
 PROWC527R 25
 PROWC528L 25
 PROWC529R 25
 PROWC544L 25
 PROWC545R 25
 PROWC504L 25
 PROWC505R 25
 PROWCQ351R 26
 PROWCQ352L 26
 PROWCQ353R 26
 PROWCQ350L 26
 PROWCR1410 26
 PROWCR1420 26
 PROWCR1432 26
 PROWCR1435HD 27
 PROWCR1407 26
 PROWF123 39
 PROWF715 39
 PROWF716 39
 PROWS0025A 33
 PROWS0065A 33
R
 RAMTRA2752 47
 REF18692 53
 REF18697 53
 RNBPS-3030 23
 RNBTS-3030X 23
 RNGCTS-3030 23
 RNGCTS3030LS 23
S
 STATRA2726 47
 STATRA2727 47
 STE320-2110 34
 STE330-3118 37
 STE330-3009 37
 STE342-4195 37
 STE343-4372 37
 STE340-4370 36
 STE340-4975 36
 STE340-5096 37
 STE340-5097 37
 STE372-7097 34
 STE372-7098 34
 STE372-7099 34
 STE373-0113 34
 STE373-0123 34
 STE373-0143 34
 STE373-0213 34
 STE373-0223 34
 STE373-0243 34
 STE307-0713 34
 STE307-0723 34

STE307-0743 34
 STE447-4723 22
 STE447-4724 22
 STE447-4743 22
 STE610-0065 40
 STE610-0084 40
 STE650-0539 40
 STE650-0601 40
 STE600-9999 40
 STEASET248-210 32
 STEASET445-410 32
 STEASET663-53 32
 STEASET049-011 32
 STEMK21104S 27
 STEMK22104S 27
 STEMK23103S 27
 STEMM1202S 28
 STEMM1200S 28
 STEMM2202S 28
 STEMM2200S 28
 STENS-4311E 24
 STENS-4515F 24
 STENS-4515P 24
 STENS-4515Q 24
 STENS-4707Q 24
 STEWKS4515QCXLBL 24
 STEWKS4707QCXLBL 24
 STP-HY01 7
T
 TIS158-CK 61
 TRA31509-072 30
 TRA32002-024 30
 TRA32002-048 30
 TRI65261U 33
 TRI65262U 33
 TRI65060U 33
 TRI70561B 33
 TRI70596 33
 TRI70598 33
 TRI87009 37
 TRU15227 17
 TRU15729 19
 TRU15011 17
 TRU15040 17
 TRU10279R 14
 TRU10279Y 14
 TRU30221R 11
 TRU30221Y 11
 TRU30251Y 12
 TRU30271Y 12
 TRU30272Y 12
 TRU30281Y 12
 TRU30200R 11
 TRU30200Y 11
 TRU30386R 12
 TRU30386Y 12
 TRU44322R 15
 TRU40222R 15
 TRU97960 61
 TSE3030TN3-C 23
 TWL-DL014 55
 TWL-DL015 55
 TWL-DL019 55
 TWL-DL010 54
 TWL-DL003 55
 TWL-DL004 55
 TWL-DL005 55
 TWL-HA011 58
 TWL-HA012 58

TWL-HA022 58
 TWL-HA092 58
 TWL-HA093 58
 TWL-HA001 58
 TWL-HA002 58
 TWL-HA003 57
 TWL-HA006 57
 TWL-HA007 57
 TWL-HA009 58
 TWL-HD006 57
 TWL-LA011 58
 TWL-LA010 59
 TWL-LA001 59
 TWL-LA002 59
 TWL-LA004 58
 TWL-LA006 59
 TWL-LA007 59
 TWL-PL011 56
 TWL-PL018 56
 TWL-PL010 56
 TWL-PL001 56
 TWL-PL002 56
 TWL-PL003 56
 TWL-PL004 56
 TWL-PL006 56
 TWL-PL008 56
 TWL-PT010 60
 TWL-PT001 59
 TWL-PT002 59
 TWL-PT004 59
 TWL-PT005 60
 TWL-TL011 54
 TWL-TL010 54, 55
 TWL-TL036 54
 TWL-TL071 55
 TWL-TL072 55
 TWL-TL001 54
 TWL-TL004 54
 TWL-TL005 54
 TWL-TL006 54
 TWL-TL008 54
V
 VEE777717-525 40
 VEE777717-500 40
W
 WAB16S00443 5
 WAB16S00444 5
 WAB16S00475 7
 WAB29S01129 50
 WABAM000010 6
 WABE7634200 6
 WABE7604680 6
 WABE7600840 6
 WABE9464680 5
 WAB02600007 61
 WAB04001019 5
 WAB04001020 5
 WAB04000888 5
 WAB05300059 57
 WAB06100438 8
 WAB06100439 8
 WAB07600338 5
 WAB07600344 6
 WAB07600359 6
 WDS4-7 6
 WEB5580Z--AT 35
 WEB5580ZHCA 35
 WEB63617 36
 WEB67518 36

WEB68730 36
WEB68765 36
WEB75209--A 35
WEB75209--AT 35
WEB75209GCAT 35
WEB85203--A 35
WEB85203GCA 35



May 2017 Rev. 1.1
©Aurora Parts & Accessories, LLC.

Aurora Parts & Accessories, LLC
500 S. Enterprise Blvd.
Lebanon, IN 46052

1-800-621-7949
www.AuroraParts.com